

SAFETY DATA SHEET

AGS 3503

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

AGS 3503

Product no.

3503

Unique formula identifier (UFI)

HU80-G00M-N00S-R5R5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Graffiti protection

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Trion Tensid AB

Svederusgatan 1-3

SE-75450 Uppsala

Sweden

+46 18 15 61 90

www.trion.se

Contact person

William Stomilovic

E-mail

info@trion.se

Revision

17/05/2023

SDS Version

5.0

Date of previous version

30/09/2022 (4.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Precautionary statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

Hazardous substances

None known.

Additional labelling

EUH208, Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothi. May produce an allergic reaction.

EUH210, Safety data sheet available on request.

UFI: HU80-G00M-N00S-R5R5

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. ▼ Substances

Not applicable. This product is a mixture.

3.2. Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|--|--|-------|--|------|
| Alcohols, C12-15, branched and linear, ethoxylated | CAS No.: 106232-83-1 EC No.: 500-294-5 UK-REACH: Index No.: | <1% | Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) | |
| Alcohols, C12-18, ethoxylated | CAS No.: 68213-23-0 EC No.: UK-REACH: Index No.: | <1% | Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412 | |
| Alcohols, C16-18 and C18 unsatd., ethoxylated | CAS No.: 68920-66-1 EC No.: UK-REACH: Index No.: | <1% | Acute Tox. 4, H302 Eye Dam. 1, H318 | |

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| | | | |
|--------------------------------|---|-------|--|
| Fatty alcohol polyglycol ether | CAS No.: 68439-49-6 EC No.: 500-212-8 UK-REACH: Index No.: | <0,5% | Acute Tox. 4, H302 Eye Dam. 1, H318 |
|--------------------------------|---|-------|--|

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

▼ Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. ▼ Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. ▼ Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

4 - 25 Celcius

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-dimethylaminoethanol N,N-dimethylethanolamine

Long term exposure limit (8 hours) (ppm): 2

Long term exposure limit (8 hours) (mg/m³): 7,4

Short term exposure limit (15 minutes) (ppm): 6

Short term exposure limit (15 minutes) (mg/m³): 22

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNEL

tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate

| Duration: | Route of exposure: | DNEL: |
|---|--------------------|-----------------------|
| Long term – Systemic effects - General population | Dermal | 7500 mg/kg bw/d |
| Long term – Systemic effects - Workers | Dermal | 15 000mg/kg bw/d |
| Long term – Systemic effects - General population | Inhalation | 1,8 mg/m ³ |
| Long term – Systemic effects - Workers | Inhalation | 7,3 mg/m ³ |
| Short term – Local effects - Workers | Inhalation | 55 mg/m ³ |
| Short term – Systemic effects - Workers | Inhalation | 55 mg/m ³ |
| Long term – Systemic effects - General population | Oral | 1,5 mg/kg bw/d |

▼ PNEC

tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate

| Route of exposure: | Duration of Exposure: | PNEC: |
|----------------------|-----------------------|----------|
| Freshwater | Single | 2 mg/L |
| Intermittent release | Continuous | 1 mg/L |
| Marine water | Single | 0,2 mg/L |

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

| Type | Class | Colour | Standards |
|---|-------|--------|-----------|
| Respiratory protection is not needed in the event of adequate | - | - | - |

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Type | Class | Colour | Standards |
|---|----------------------|--------------------------|----------------|
| ventilation | | | |
| Skin protection | | | |
| Recommended | Type/Category | Standards | |
| Dedicated work clothing should be worn. | - | - | |
| Hand protection | | | |
| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards |
| Latex | 0.4 | - | EN374-2, EN388 |
| Eye protection | | | |
| Type | Standards | | |
| Wear safety glasses with side shields. | EN166 | | |



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

White

Odour / Odour threshold

Faint

pH

8

Density (g/cm³)

1

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

100

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Not applicable - flash point > 200°C

Flammability (°C)

Not applicable - flash point > 200°C

Auto-ignition temperature (°C)

Not applicable - flash point > 200°C

Lower and upper explosion limit (% v/v)

Not applicable - flash point > 200°C

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

▼ Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity

Product/substance Alcohols, C12-15, branched and linear, ethoxylated

Species: Rat

Route of exposure: Oral

Test: LD50

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| | |
|--------------------|--|
| Result: | 500-2000 mg/kg · |
| Product/substance | Tridecylalcoholethoxilate |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LD50 |
| Result: | >300-2000 mg/kg · |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Species: | Rat |
| Route of exposure: | Inhalation |
| Test: | LC50 |
| Result: | 6,1 mg/L |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Species: | Rabbit |
| Route of exposure: | Dermal |
| Test: | LD50 |
| Result: | 1220 mg/kg |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LD50 |
| Result: | 2 g/kg |
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LD50 |
| Result: | 2130 mg/kg |
| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LD50 |
| Result: | >5000 mg/kg |

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

▼ Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: Ecological information

12.1. ▼ Toxicity

| | |
|-------------------|--|
| Product/substance | Alcohols, C12-15, branched and linear, ethoxylated |
| Species: | Fish |
| Duration: | 96 hours |
| Test: | LC50 |
| Result: | 1-10 mg/kg · |

| | |
|-------------------|--|
| Product/substance | Alcohols, C12-15, branched and linear, ethoxylated |
| Species: | Daphnia |
| Duration: | 48 hours |
| Test: | EC50 |
| Result: | 130 mg/kg · |

| | |
|-------------------|--------------------------|
| Product/substance | Tridecylalcholethoxilate |
| Species: | Fish |
| Duration: | 96 hours |
| Test: | LC50 |
| Result: | >1-10 mg/L |

| | |
|-------------------|--------------------------|
| Product/substance | Tridecylalcholethoxilate |
| Species: | Daphnia |
| Duration: | 48 hours |
| Test: | EC50 |
| Result: | >10-100 mg/L |

| | |
|-------------------|--------------------------|
| Product/substance | Tridecylalcholethoxilate |
| Species: | Daphnia |
| Duration: | 21 days |
| Test: | LOEC |
| Result: | >0,1-1 mg/L |

| | |
|-------------------|---|
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Species: | Algae |
| Duration: | 72 hours |
| Test: | LC50 |

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Result: 35 mg/L

Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine
Species: Daphnia
Duration: 48 hours
Test: LC50
Result: 89,37 mg/L

Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine
Species: Fish
Duration: 96 hours
Test: LC50
Result: 100-220 mg/L

Product/substance tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate
Species: Fish
Duration: 96 hours
Test: LC50
Result: >100 mg/L

Product/substance tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate
Species: Daphnia
Duration: 48 hours
Test: EC50
Result: >265 mg/L

Product/substance tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate
Species: Algae
Duration: 72 hours
Test: IC50
Result: >100 mg/L

12.2. ▼ Persistence and degradability

Product/substance Alcohols, C12-15, branched and linear, ethoxylated
Biodegradable: Yes
Test method: OECD 301 B
Result: >60%

Product/substance Alcohols, C12-18, ethoxylated
Biodegradable: Yes
Test method:
Result:

Product/substance Tridecylalcoholethoxilate
Biodegradable: Yes
Test method:
Result:

Product/substance 2-dimethylaminoethanol N,N-dimethylethanolamine
Biodegradable: Yes
Test method:
Result:

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| | |
|-------------------|--|
| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate |
| Biodegradable: | Yes |
| Test method: | |
| Result: | |

12.3. ▼ Bioaccumulative potential

| | |
|----------------------------|--|
| Product/substance | Alcohols, C12-15, branched and linear, ethoxylated |
| Test method: | |
| Potential bioaccumulation: | No |
| LogPow: | No data available. |
| BCF: | No data available. |
| Other information: | |

| | |
|----------------------------|-------------------------------|
| Product/substance | Alcohols, C12-18, ethoxylated |
| Test method: | |
| Potential bioaccumulation: | No |
| LogPow: | No data available. |
| BCF: | No data available. |
| Other information: | |

| | |
|----------------------------|---------------------------|
| Product/substance | Tridecylalcoholethoxilate |
| Test method: | |
| Potential bioaccumulation: | No |
| LogPow: | No data available. |
| BCF: | No data available. |
| Other information: | |

| | |
|----------------------------|---|
| Product/substance | 2-dimethylaminoethanol N,N-dimethylethanolamine |
| Test method: | |
| Potential bioaccumulation: | No |
| LogPow: | -0,55 |
| BCF: | No data available. |
| Other information: | |

| | |
|----------------------------|--|
| Product/substance | tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate |
| Test method: | |
| Potential bioaccumulation: | No |
| LogPow: | <0 |
| BCF: | No data available. |
| Other information: | |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. ▼ Endocrine disrupting properties

Not applicable.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SECTION 13: Disposal considerations

13.1. ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

After dilution with water, small quantities are permitted to go to water treatment plants. Empty packages and product residues must be handled in an environmentally correct manner according to applicable laws and provisions. The company is affiliated to REPA. Do not attempt to refill or clean the package.

EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|------|-----------------|---------------------------------|--------------------------|-------------|---------------|---------------------------------------|
| ADR | - | - | | - | No | See below for additional information. |
| IMDG | - | - | | - | No | See below for additional information. |
| IATA | - | - | | - | No | See below for additional information. |

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

biocidal products as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H400, Very toxic to aquatic life.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

▼ The safety data sheet is validated by

RO

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en