

SAFETY DATA SHEET

AGS PLEXI WIPES

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

AGS PLEXI WIPES

Product no.

3997

Unique formula identifier (UFI)

0H80-F081-E00S-3TDW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Graffiti remover

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Trion Tensid AB

Svederusgatan 1-3

SE-75450 Uppsala

Sweden

+46 18 15 61 90

www.trion.se

Contact person

William Stomilovic

E-mail

info@trion.se

Revision

30/09/2022

SDS Version

5.0

Date of previous version

29/09/2022 (5.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)



Not applicable.

Safety statement(s)

General

_

Prevention

-

Response

-

Storage

-

Disposal

Hazardous substances

None known.

Additional labelling

EUH210, Safety data sheet available on request.

This article is a ready to use cloth that is impregnated with a graffiti remover. It is a convenience product.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-(2-ethoxyethoxy)ethanol	CAS No.: 111-90-0	40-60%		
	EC No.: 203-919-7			
	UK-REACH:			
	Index No.:			
1-butylpyrrolidin-2-one	CAS No.: 3470-98-2	3-<5%	Acute Tox. 4, H302 Skin Irrit. 2, H315	
	EC No.: 222-437-8		Eye Irrit. 2, H319	
	UK-REACH:			
	Index No.:			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

The product is an article and is unlikely to be of any chemical risk.

Inhalation



Exposure is not likely due to the physical state of the product (article).

Skin contact

Exposure is not likely due to the physical state of the product (article).

Eye contact

Exposure is not likely due to the physical state of the product (article).

Ingestion

Exposure is not likely due to the physical state of the product (article).

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Not applicable due to the physical state of the product (article).

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature

4 - 25 Celcius

Incompatible materials



Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

1-butylpyrrolidin-2-one

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	10 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	17,4 mg/m3
Long term – Systemic effects - Workers	Inhalation	70,5 mg/m3
Long term – Systemic effects - General population	Oral	2,5 mg/kg bw/day
Short term – Systemic effects - General population	Oral	2,5 mg/kg bw/day

2-(2-ethoxyethoxy)ethanol

DurationRoute of exposureDNELLong term - Systemic effects - General populationDermal25 mg/kg bw/dayLong term - Systemic effects - WorkersDermal83 mg/kg bw/dayLong term - Local effects - General population18 mg/m3Long term - Local effects - WorkersInhalation30 mg/m3Long term - Systemic effects - General population11 mhalation37 mg/m3Long term - Systemic effects - WorkersInhalation61 mg/m3Long term - Systemic effects - WorkersOral50 mg/kg bw/day	Dometica	Deute of company	DNE
effects - General population Long term - Systemic effects - Workers Long term - Local effects Inhalation 18 mg/m3 Long term - Local effects Inhalation 30 mg/m3 Long term - Local effects Inhalation 37 mg/m3 Long term - Systemic effects - General population Inhalation 37 mg/m3 Long term - Systemic effects - General population 50 mg/m3 Long term - Systemic effects - Workers Inhalation 50 mg/m3	Duration	Route of exposure	DNEL
effects - WorkersLong term - Local effects - General populationInhalation18 mg/m3Long term - Local effects - WorkersInhalation30 mg/m3Long term - Systemic effects - General populationInhalation37 mg/m3Long term - Systemic effects - WorkersInhalation61 mg/m3Long term - Systemic effects - WorkersOral50 mg/kg bw/day	effects - General	Dermal	25 mg/kg bw/day
- General population Long term – Local effects Inhalation 30 mg/m3 - Workers Long term – Systemic effects - General population 37 mg/m3 Long term – Systemic effects - Workers Inhalation 61 mg/m3 Long term – Systemic oral 50 mg/kg bw/day	-	Dermal	83 mg/kg bw/day
- Workers Long term - Systemic effects - General population Long term - Systemic effects - Workers Inhalation 61 mg/m3 effects - Workers Long term - Systemic Oral 50 mg/kg bw/day	-	Inhalation	18 mg/m3
effects - General population Long term - Systemic effects - Workers Long term - Systemic Oral 61 mg/m3 50 mg/kg bw/day	-	Inhalation	30 mg/m3
effects - Workers Long term - Systemic Oral 50 mg/kg bw/day	effects - General	Inhalation	37 mg/m3
	•	Inhalation	61 mg/m3
		Oral	50 mg/kg bw/day

AGS PLEXI WIPES Page 4 of 13



PNEC

1-butylpyrrolidin-2-one

Route of exposure	Duration of Exposure	PNEC
Freshwater	Single	0,8 mg/L
Freshwater sediment	Single	6,336 mg/kg
Marine water	Single	0,08 mg/L
Marine water sediment	Single	06336 mg/kg
Sewage treatment plant	Continuous	30,62 mg/L
Soil	Single	0,7955 mg/kg
Water	Single	1 mg/L

2-(2-ethoxyethoxy)ethanol

Route of exposure	Duration of Exposure	PNEC
Freshwater	Single	1,98 mg/L
Freshwater sediment	Single	0,732 mg/kg
Marine water	Single	0,198 mg/L
Marine water sediment	Single	7,32 mg/kg
Sewage treatment plant	Single	500 mg/L
Soil	Single	0,34 mg/kg

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Exposure is not likely due to the physical state of the product (article).

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No special when used as intended.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards
Respiratory protection is	-	-	-

AGS PLEXI WIPES Page 5 of 13



Туре	Class	Colour	Standards	
not needed in the event of adequate ventilation				

Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Latex	0.12	-	EN374-2	

Eye protection

Туре	Standards	
Wear safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Article

Colour

Yellowish

Odour / Odour threshold

Solvent

рΗ

Not applicable due to the physical state of the product (article).

Density (g/cm³)

0.92

Kinematic viscosity

Not applicable due to the physical state of the product (article).

Particle characteristics

Not applicable due to the physical state of the product (article).

Phase changes

Melting point/Freezing point (°C)

Not applicable due to the physical state of the product (article).

Softening point/range (waxes and pastes) (°C)

Not applicable due to the physical state of the product (article).

Boiling point (°C)

200-250

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Not applicable due to the physical state of the product (article).

Decomposition temperature (°C)



Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Not applicable due to the physical state of the product (article).

Ignition (°C)

Not applicable due to the physical state of the product (article).

Auto flammability (°C)

Not applicable due to the physical state of the product (article).

Lower and upper explosion limit (% v/v)

Not applicable due to the physical state of the product (article).

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product/substance	2-(2-ethoxyethoxy)ethanol
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	6031 mg/kg bw ·
Other information	
Product/substance	2-(2-ethoxyethoxy)ethanol



Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	9143 mg/kg bw ·
Other information	
Product/substance	2-(2-ethoxyethoxy)ethanol
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LD lo
Result	0,025 mg/L ·
Other information	
Product/substance	1-butylpyrrolidin-2-one
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	300-2000 mg/kg ·
Other information	
Product/substance	1-butylpyrrolidin-2-one
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg ·
Other information	

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

AGS PLEXI WIPES Page 8 of 13



Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

None known.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Due di cat facili ataua	
Product/substance	2-(2-ethoxyethoxy)ethanol
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	6010 mg/L ·
Other information	
Product/substance	1-butylpyrrolidin-2-one
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	>100 mg/L ·
Other information	
Product/substance	1-butylpyrrolidin-2-one
Test method	
Species	Algae
Compartment	
Duration	72 hours
	72 Hours

AGS PLEXI WIPES Page 9 of 13



Test	EC50
Result	130 mg/L ·
Other information	
Product/substance	1-butylpyrrolidin-2-one
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	>100 mg/L ·
Other information	

12.2. Persistence and degradability

Product/substance	2-(2-ethoxyethoxy)ethanol
Biodegradable	Yes
Test method	Oxygen consumption
Result	79,4%
Product/substance	1-butylpyrrolidin-2-one
Biodegradable	Yes
Test method	
Result	

12.3. Bioaccumulative potential

Product/substance	2-(2-ethoxyethoxy)ethanol
	2-(2-etiloxyetiloxy)etilalioi
Test method	
Potential bioaccumulation	No
LogPow	No data available.
BCF	No data available.
Other information	
Product/substance	1-butylpyrrolidin-2-one
Test method	
Potential bioaccumulation	No
LogPow	No data available.
BCF	No data available.

AGS PLEXI WIPES Page 10 of 13



Other information

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

After dilution with water, small quantities are permitted to go to water treatment plants. Empty packages and product residues must be handled in an environmentally correct manner according to applicable laws and provisions. The company is affiliated to REPA. Do not attempt to refill or clean the package.

EWC code

Not applicable.

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

AGS PLEXI WIPES

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

^{**} Environmental hazards



Not applicable.

Additional information

Not applicable.

Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

Nc

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials



VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

▼ The safety data sheet is validated by

William Stomilovic

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en