

SAFETY DATA SHEET

BPS 7102

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

BPS 7102

Product no.

7102

Unique formula identifier (UFI)

XC60-T003-S00E-J8U9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning product

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Trion Tensid AB

Svederusgatan 1-3

SE-75450 Uppsala

Sweden

+46 18 15 61 90

www.trion.se

Contact person

William Stomilovic

E-mail

info@trion.se

Revision

16/06/2023

SDS Version

7.0

Date of previous version

30/09/2022 (6.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Skin Corr. 1; H314, Causes severe skin burns and eye damage.
Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Precautionary statement(s)

General

-

Prevention

Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves/protective clothing. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

Storage

-

▼ Disposal

Dispose of contents/container in accordance with local regulation. (P501)

▼ Hazardous substances

2-propylheptanoletoxilat

hexyl D-glucoside

potassium hydroxide

Sodium metasilicatePentahydrat

▼ Additional labelling

UFI: XC60-T003-S00E-J8U9

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. ▼ Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5	5-10%	Eye Irrit. 2, H319	[1], [3]
diethylene glycol monobutyl	EC No.: 203-961-6			

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

ether	UK-REACH: Index No.: 603-096-00-8		
2-propylheptanoletoxilat	CAS No.: 160875-66-1 EC No.: 605-233-7 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318
hexyl D-glucoside	CAS No.: 54549-24-5 EC No.: 259-217-6 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318
Alcohols, C9-C11, Ethoxylated	CAS No.: 68439-46-3 EC No.: 614-482-0 UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319
potassium hydroxide	CAS No.: 1310-58-3 EC No.: 215-181-3 UK-REACH: Index No.: 019-002-00-8	1-3%	Acute Tox. 4, H302 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Corr. 1A, H314 Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)
Sodium metasilicatePentahydrat	CAS No.: 10213-79-3 EC No.: 600-279-4 UK-REACH: Index No.:	1-3%	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

- Anionic surfactants
- Soap

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

If skin irritation occurs: Get medical advice/attention.

▼ Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

▼ Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. ▼ Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. ▼ Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

4 - 25 Celcius

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. ▼ Control parameters

2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether

Long term exposure limit (8 hours) (ppm): 10

Long term exposure limit (8 hours) (mg/m³): 67,5

Short term exposure limit (15 minutes) (ppm): 15

Short term exposure limit (15 minutes) (mg/m³): 101,2

potassium hydroxide

Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNEL

2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	20 mg/kg/day
Long term – Local effects - Workers	Inhalation	67,5 mg/kbm 10 ppm
Long term – Systemic effects - Workers	Inhalation	67,5 mg/kbm 10 ppm
Short term – Local effects - Workers	Inhalation	101,2 mg/kbm

hexyl D-glucoside

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	357000 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	595000 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	124 mg/m ³
Long term – Systemic effects - Workers	Inhalation	420 mg/m ³
Long term – Systemic effects - General population	Oral	35,7 mg/kg bw/day

Sodium metasilicatePentahydrat

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0,74 mg/kg bw/24h
Long term – Systemic effects - Workers	Dermal	1,49 mg/kg bw/24 h
Long term – Systemic effects - General population	Inhalation	1,55 mg/m ³
Long term – Systemic effects - Workers	Inhalation	6,22 mg/m ³
Long term – Systemic effects - General population	Oral	0,74 mg/kg bw/24h

▼ PNEC

2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater	Single	1 mg/L
Freshwater sediment	Single	4,4 mg/kg
Marine water	Single	0,1 mg/L
Marine water sediment	Single	0,44 mg/kg
Sewage treatment plant	Single	200 mg/L
Soil	Single	0,32 mg/kg

hexyl D-glucoside

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater	Single	0,176 mg/L
Freshwater sediment	Single	0,722 mg/kg
Marine water	Single	0,018 mg/L
Marine water sediment	Single	0,072 mg/kg
Sewage treatment plant	Single	100 mg/L
Soil	Single	0,654 mg/kg

Sodium metasilicatePentahydrat

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater	Single	7,5 mg/l
Intermittent release	Single	7,5 mg/l
Marine water	Single	1 mg/L
Sewage treatment plant	Single	1000 mg/l

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation	-	-	-

Skin protection

Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-



Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0,4	>480	EN374-2



Eye protection

Type	Standards
Wear safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Yellowish

Odour / Odour threshold

Faint

pH

12,8

Density (g/cm³)

1.07

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

100-120

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

▼ Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

▼ Flammability (°C)

230

▼ Auto-ignition temperature (°C)

Not applicable - based on structure

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Other physical and chemical parameters

No data available.

▼ Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity

Product/substance	2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>29 ppm (2h) ·

Product/substance	2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2410 mg/kg ·

Product/substance	2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	2764 mg/kg ·

Product/substance	2-propylheptanoletoxilat
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000-5000 mg/kg ·

Product/substance	2-propylheptanoletoxilat
Species:	Rat

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Route of exposure:	Inhalation
Test:	LC50
Result:	>20 mg/L ·
Product/substance	2-propylheptanoletoxilat
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000-5000 mg/kg ·
Product/substance	hexyl D-glucoside
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg
Product/substance	hexyl D-glucoside
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg
Product/substance	Alcohols, C9-C11, Ethoxylated
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg
Product/substance	potassium hydroxide
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	273 mg/kg ·
Product/substance	Sodium metasilicatePentahydrat
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1152-1349 mg/kg
Product/substance	Sodium metasilicatePentahydrat
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>2 060 mg/m ³
Product/substance	Sodium metasilicatePentahydrat
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>5000 mg/kg

▼ Skin corrosion/irritation

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	Sodium metasilicatePentahydrat
Test method:	OECD 404
Species:	Rabbit
Duration:	No data available.
Result:	Adverse effect observed (Corrosive)

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

▼ Respiratory sensitisation

Product/substance	hexyl D-glucoside
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

▼ Skin sensitisation

Product/substance	Alcohols, C9-C11, Ethoxylated
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

▼ STOT-repeated exposure

Product/substance	Sodium metasilicatePentahydrat
Species:	Rat
Route of exposure:	
Target organ:	
Duration:	No data available.
Test:	
Result:	227 mg/kg/day
Conclusion:	

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

▼ Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

▼ Endocrine disrupting properties

Not applicable.

▼ Other information

None known.

SECTION 12: Ecological information

12.1. ▼ Toxicity

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1300 mg/l ·

Product/substance	2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether
Species:	Daphnia
Duration:	72 hours
Test:	EC50
Result:	>100 mg/l ·

Product/substance	2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether
Species:	Algae
Duration:	96 hours
Test:	EC50
Result:	>100 mg/l ·

Product/substance	2-propylheptanoletoxilat
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>10-100 mg/L

Product/substance	2-propylheptanoletoxilat
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	>10-100 mg/L

Product/substance	hexyl D-glucoside
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>100 mg/L ·

Product/substance	hexyl D-glucoside
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	>100 mg/L ·

Product/substance	hexyl D-glucoside
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	>100 mg/L ·

Product/substance	hexyl D-glucoside
Species:	Algae
Duration:	72 hours
Test:	NOEC

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Result:	>100 mg/L
Product/substance	hexyl D-glucoside
Species:	Daphnia
Duration:	21 days
Test:	NOEC
Result:	>1-10 mg/L
Product/substance	Alcohols, C9-C11, Ethoxylated
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>1 mg/L
Product/substance	Alcohols, C9-C11, Ethoxylated
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	>1 mg/L
Product/substance	Alcohols, C9-C11, Ethoxylated
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	>1 mg/L
Product/substance	potassium hydroxide
Species:	Fish
Duration:	24 hours
Test:	LC50
Result:	80 mg/L ·
Product/substance	Sodium metasilicatePentahydrat
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	210 mg/L ·
Product/substance	Sodium metasilicatePentahydrat
Species:	Daphnia
Duration:	96 hours
Test:	EC50
Result:	1700 mg/L ·
Product/substance	Sodium metasilicatePentahydrat
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	345,4 mg/L (growth rate) ·
Product/substance	Sodium metasilicatePentahydrat
Species:	Algae

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Duration:	72 hours
Test:	EC50
Result:	207 mg/L (Biomass) ·

12.2. ▼ Persistence and degradability

Product/substance	2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether
Biodegradable:	Yes
Test method:	OECD 301 B
Result:	100%

Product/substance	2-propylheptanoletoxilat
Biodegradable:	Yes
Test method:	OECD 301 D
Result:	>60%

Product/substance	hexyl D-glucoside
Biodegradable:	Yes
Test method:	OECD 301 D
Result:	>70%

Product/substance	Alcohols, C9-C11, Ethoxylated
Biodegradable:	Yes
Test method:	OECD 301 D
Result:	

Product/substance	potassium hydroxide
Biodegradable:	Yes
Test method:	
Result:	

Product/substance	Sodium metasilicatePentahydrat
Biodegradable:	Yes
Test method:	
Result:	

12.3. ▼ Bioaccumulative potential

Product/substance	2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether
Test method:	
Potential bioaccumulation:	No
LogPow:	1,0000
BCF:	No data available.
Other information:	

Product/substance	2-propylheptanoletoxilat
Test method:	
Potential bioaccumulation:	No
LogPow:	No data available.
BCF:	No data available.
Other information:	

Product/substance	hexyl D-glucoside
Test method:	
Potential bioaccumulation:	No

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

LogPow: No data available.
BCF: No data available.
Other information:

Product/substance Alcohols, C9-C11, Ethoxylated
Test method:
Potential bioaccumulation: No
LogPow: No data available.
BCF: No data available.
Other information:

Product/substance potassium hydroxide
Test method:
Potential bioaccumulation: No
LogPow: -1,3800
BCF: No data available.
Other information:

Product/substance Sodium metasilicatePentahydrat
Test method:
Potential bioaccumulation: No
LogPow: No data available.
BCF: No data available.
Other information:

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. ▼ Endocrine disrupting properties

Not applicable.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

▼ Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

▼ REACH, Annex XVII

2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether is subject to restrictions, UK-REACH annex XVII (entry 55).

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

▼ Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H302, Harmful if swallowed.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

▼ The safety data sheet is validated by
RO

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en